

TEK5530 - Measurable Security for the Internet of Things

L1 – Introduction

György Kálmán, UiO/DNB gyorgy.kalman@its.uio.no Josef Noll UiO josef.noll@its.uio.no

https://its-wiki.no/wiki/UNIK4750, #IoTSec, #IoTSecNO

Overview



- Expectations
- Lecture overview
- Exam
- Topic introduction

Expected outcome:

- Describe application-driven security and establish challenges of sensor-driven systems
- Provide industrial examples, e.g. Smart Grid and automatic meter readings
- Establish application-driven security goals as well as the semantics of your system

- Be able to describe the security impact of components and sub-systems
- Perform a multi-metrics analysis to measure the system security
- Analyse application goal versus system security, be able to describe differences and mitigation solutions
- Be able to analyse and present own thoughts on a scientific paper
- Group work with distribution of workload

UNIK4750: Lecture plan

- 17.01 L1: Introduction
- 24.01
 - L2: Internet of Things
 - L3: Security of IoT + Paper list
- 31.01
 - o L4: Smart Grid, Automatic Meter Readings
 - o L5: Service implications on functional requirements
- 07.02
 - L6: Technology mapping
 - o L7: Practical implementation of ontologies
- 14.02
 - o L8-9: Paper analysis with 25 min presentation
- 21.02 --- Winter holiday
- 28.02
 - o L10: Logical binding industrial example
 - o L11: Multi-Metrics Method for measurable Security

- 07.03
 - L12: Multi-Metrics Weighting of an AMR sub-system
 - L13: System Security and Privacy analysis
- 14.03
 - L14: Real world examples IoTSec infrastructure possible quest lecture
 - L15: Real world IoT service evaluation group work
- 21.03
 - L16: Cloud basics and cloud architecture
 - $\circ~$ L17: Cloud security, IoT and service examples from AWS
- 28.03
 - L18: Selected recent topics from IoT security
 - L19: Wrap-up of the course
- 04.04 ---- No lecture, prepare for exam, consultation possibility
- 11.04 ---- No lecture, prepare for exam, consultation possibility or Exam (depending on what we agree on)
- 18.04 ---- Easter holiday, no lecture
- 25.04 ---- Exam (depending on decision about exam on the 11th)



Department of Technolgy Systems





Long and nice history on communications and the birth of internet

Was home of the first ARPANET link to Europe made possible by internet-pioneer Pål Spilling, whom we lost a year ago.



Cooperation with the Kjeller-Institutes

First implementation of OLSR routing protocol





The threat dimension


- Ukraine blackout
- Surveillance camera DDoS
- AMS attack surface
- Exploiting cloud-elasticity
- Smart home Always online
- Autonomous vehicles
- Ransomware
- Unauthorized resource usage (e.g. mining)
- Worth reading:
 - OWASP Internet of Things project https://www.owasp.org/index.php/OWASP Internet of Things Project
 - Amazon Web Services IoT
 - https://aws.amazon.com/iot/





L1 - L3: Introduction to security

- This first part will provide the introduction into the Internet of Things (Lecture 1 -L2), with industrial examples
 - Smart Grid and automatic metering system (AMS)
 - Smart Homes with sensors
 - Wireless System upgrade of cars
- Lecture 3 will further address potential security threats, through the example of the smart electricity grid.



- Smart grid with prosumers
- Various control mechanisms
- Attack scenarios
- Critical infrastructure

TEK5530, Measurable Security for IoT - #IoTSec

Knowledge and collaboration space http://loTSec.no - #loTSec, #loTSecNO

Security Centre

Publications

About us



The IoTSec - Security in IoT for Smart Grids initiative was established in 2015 to promote the development of a safe and secure Internet-of-Things (IoT)-enabled smart power grid infrastructure. The Research Project received funding from the Research Council of Norway (RCN) to contribute to a safe information society.

Research Areas

Home

IoTSec addresses the basic needs for a reliable and efficient, uninterrupted power network with dynamic configuration and security properties. It addresses in addition the needs of businesses and end users of additional IoT services by exploring use cases for value-added services with the intent to design the building blocks for future services that consider the necessary security and privacy preconditions of successfully deployed large-scale services. IoTSec will apply the research in the envisaged Security Centre for Smart Grids, co-located with un Norwegian Centre of Excellence (NCE Smart).

About

The IoTSec initiatives drives Research for secure IoT and Smart Grids



NCE Smart Partnerkonferansen med @KristinHalvorsen og Nasjonalt senter for Cilder

11 Nov

«Open World Approach» everything that is not declared closed is open

Norge Norvay Gjøvik Kjeller Oslo Halden

TEK5530

#IoTSecNO

Internet of Things Security

Energy sector tops list of US industries under cyber attack, says Homeland Security report

12 March, 2015 at 6:38 PM Posted by: Jeremy Cowan

Washington, DC. March 12, 2015 - A report issued today by the US Department for Homeland Security says that in 2014 the Industrial Control Systems Cyber Emergency Response Team (ICS-CERT) responded to 245 incidents reported by asset owners and industry partners.

The energy sector, says Jeremy Cowan, led all others again in 2014 with 79 reported incidents, followed by manufacturing at 65 and worryingly healthcare at 15 reported incidents. ICS-CERT's continuing partnership

with the Energy sector reportedly provides many opportunities to share collaborate on incident response efforts.



TEK5530

Power Grid Cyber Attacks Keep the Pentagon Up at Night

A detailed look at why computers running the U.S. electrical infrastructure are so vulnerable to digital threats

By Michael McElfresh and The Conversation | June 8, 2015

The following essay is reprinted with permission from The Conversation, an online publication covering the latest research.

It's very hard to overstate how important the US power grid is to American society and its economy. Every critical infrastructure, from communications to

water, is built on it and every important

business function from banking to milking cows is completely dependent on it.

#IoTSecNO

Scott Wylie/Flickr Jan 2019, György Kálmán, Josef Noll







L4-L5 Security and Privacy challenges

- Example: automatic meter reading (AMR) and -system (AMS) -Insurance
- Mapping from functional requirements towards mapping into technology.
- Example: translation of privacy requirements - can somebody see from my meter reading if I'm at home
- Legislation questions GDPR and others




[source: seminarsonly.com]

Jan 2019, György Kálmán, Josef Noll

TEK5530, Measurable Security for IoT - #IoTSec

L6-L7 Machine-readable descriptions

- Describe a system based on security attributes
- Introduction to the Semantic Web
 Ontologies
- Rules & Reasoning
 make decisions




SANNI AND CCCNI

L8-L09 - Paper presentation


- Methodology:
 - \odot Select (or search) for scientific papers
 - Present the paper
 - Discuss issues which you find interesting
- Outcome
 - Personal:
 - &Learn to read and present scientific literature with own thoughts
 - & Be able to hold a presentation with time limits and active audience
 - Course
 - Get a fresh overview of the newest available research challenges and selected surveys of the field of the course
 - $\ensuremath{{\succ}}\xspace$ Learn from how others are making their presentations
 - ⊹Learn to ask questions

L10-L13: Multi-Metrics method



L14 – L15 Real World Examples

- Real world examples
 - taken from industry, e.g. Smart
 Meter
 - o billing,
 - \circ Controlling
- An overview on cloud security with examples from AWS
- Your own analysis
 select system of choice
 perform an analysis
 - \circ group work of 2-3 persons



[source: seminarsonly.com]

TEK5530, Measurable Security for IoT - #IoTSec



L16 – L17 – Cloud security

 An introduction to AWS and AWS IoT will be given with relevant secuirty infrastructure components



L18 – L19 – Recent news and Wrap-up

- L18: what has happened since we started in January
- L19: Wrap-up, what you can expect on the exam

TEK5530, Measurable Security for IoT - #IoTSec


UNIK4750 exam



- The final grade is based on
 a portfolio assessment (40%)
 an oral exam (60%).
- Portfolio
 paper presentation
 group work
- Oral exam
 - explain your group work
 questions to the group work
 topics of the course

Internet of Things

- Heading toward a fully connected world
- In a more focused way, in this course we speak about industrial internet of things
- The substantial difference is, that these systems have a physical dimension
- Considered as the next industrial revolution
- Automation to a new connectivity level the internet is coming to automation
- Main challenges: how to join the physical and the logical world, how to achieve interoperability in a heterogeneous and conservative industry?



TEK5530, Measurable Security for IoT - #IoTSec


Jan 2019, György Kálmán, Josef Noll





Internet as we know it

- Intelligence in the end nodes
- Best effort traffic
- Infrastructure = network equipment
- Operated by IT or telecom
- No direct physical dimension
- Mostly built to serve human-generated traffic
- QoS: best effort, adopted to the human consumer: 10s of ms of drop is not a problem, stable delay is accepted, majority of applications are bursty
- Reaction time in 0.5-1s range
- Stochastic → services do exploit this (like Erlang-B formula for capacity estimation or lossy compression in nearly everything)
- High availability allows switchover in seconds





Automation as we know it

- Centralized intelligence
- Traditionally operated as islands by operations
- Direct connection with the physical world
- Is made for information gathering and processing by machines
- Has a lag of approx. 15-20 years, but cost pressure is reducing it
- Still current questions: what happens if one has to share infrastructure with others, how to operate a link with long step-out distance, use of Java
- Economic press leads to adoption of internet-based services which *require* a paradigm change







APP robo




http://www07.abb.com/images/librariesprovider104/Extended-Automation/control-room-consolidation-by-abb.png?sfvrsn=1

TEK5530, Measurable Security for IoT - #IoTSec




Typical traditional industrial network



TEK5530, Measurable Security for IoT - #IoTSec

Merging these two

- Internet is the infrastructure sensor, actuator, controller not on the same physical network any more
- "dissolves" the automation system in the internet
- Automation processes run over an unknown communication infrastructure
- Network communication gets physical impact
- Automation meets real internet-type deployment
- Already happening
- The real value of IoT: data.
 Cloud and big data will enable new services
- Challenges of security related to cloud services



http://prd.accenture.com/microsites/digital-industry/images/digital/industrial-infographic-large.png

TEK5530, Measurable Security for IoT - #IoTSec

Jan 2019, György Kálmán, Josef Noll

echnolog

mart



Interesting challenges



- Architecture: physical impact, end-to-end resource reservation, discovery, safety, security and privacy
- Governance, interoperability, standardization
- Managing risk in a system with impact on both logical and physical level
- Provide QoS over a best effort infrastructure with a price pressure
- Aggregation of data: here lies the added value, enables novel services and higher efficiency
- Distribution of intelligence: make the automation system more internet-like: intelligence in the endnodes. Support it with the recent it trends of cloud and big data. Challenge for traditional automation mindset.
- Open architectural model
- Security concerns are a critical barrier for wide scale adoption of IoT
- Cloud and IoT
- See when IT has arrived to the phone industry. Or when IT has arrived into telco backhaul. IT is arriving to automation.



IoT services

- Enabled by wide scale data gathering
- Monitoring of massive systems
- Real-time insight to processes
- Observation of systems
- Performance measurement and optimization
- Proactive and predictive methods
- To serve the automation goals, the services provided must be: scalable, distributed, have a real reference to the physical world (e.g. time), must ensure security and privacy of the users
- Just using existing security solutions is not leading to secure IoT deployments
- Composed by IT, operations and the IoT enabled objects
- * Following slides are from the presentation of Mikhail Kader, DSE, Cisco, presented on the ITU Workshop on "ICT Security Standardization for Developing Countries"

Connected Rail Operations *



PASSENGER SECURITY

- + In-station and onboard safety
- Visibility into key events

ROUTE OPTIMIZATION

- + Enhanced Customer Service
- + Increased efficiency
- + Collision avoidance
- Fuel savings



CRITICAL SENSING

- + Transform "data" to "actionable intelligence"
- + Proactive maintenance
- + Accident avoidance

Cost savings, improved safety, superior service


TEK5530, Measurable Security for IoT - #IoTSec

Smart City *



CONNECTED TRAFFIC SIGNALS

- + Reduced congestion
- + Improved emergency services response times
- + Lower fuel usage



PARKING AND LIGHTING

- + Increased efficiency
- + Power and cost savings
- + New revenue opportunities

CITY SERVICES

- + Efficient service delivery
- + Increased revenues
- + Enhanced environmental monitoring capabilities

TEK5530, Measurable Security for IoT - #IoTSec

The Connected Car *




WIRELESS ROUTER

- + Online entertainment
- + Mapping, dynamic re-routing, safety and security

CONNECTED SENSORS

- + Transform "data" to "actionable intelligence"
- + Enable proactive maintenance
- + Collision avoidance
- + Fuel efficiency



URBAN CONNECTIVITY

- + Reduced congestion
- + Increased efficiency
- + Safety (hazard avoidance)

IoT Expands Security Needs *





TEK5530, Measurable Security for IoT - #IoTSec

IT/OT Converged Security Model *



IT	Enterprise Network	Cloud	Security	ntrol				
DMZ	Demilitarized Zone		Network Security	Application Control	rvices			
ОТ	Supervisory			App	Identity Services	Secure Access		
	Automation & Control						Config Mgmt	

TEK5530, Measurable Security for IoT - #IoTSec

IT and OT are Inherently Different *



• OT

- Connectivity: "Any-to-Any"
- Network Posture: Confidentiality, Integrity, Availability (CIA)
- Security Solutions: Cybersecurity; Data Protection
- Response to Attacks: Quarantine/Shutdown to Mitigate

- Connectivity: Hierarchical
- Network Posture: Availability, Integrity, Confidentiality (AIC)
- Security Solutions: Physical Access Control; Safety
- Response to Attacks: Non-stop Operations/Mission Critical – Never Stop, Even if Breached



What Can Lead to Breach in IoT Networks?

- What can't?
 - o Billions of connected devices
 - Secure and insecure locations
 - Security may or may not be built in
 - Life cycle mismatch between IT and automation devices
 - Installed base
 - Clash between IT and OT, IT has to accept the traffic
- Any node on your network can potentially provide access to the core

L1 Conclusions

- Overview over lectures
- Explanation of portfolio and exam
- Introduction to topic blocks
- Discussion





[Source of starred slides: Monique Morrow, Cisco]